

Function Notation Exercises Solutions

Part I:

a) Write each of the following mathematical statements using normal English prose.

b) Write what each of these statements tells you about the graph of the function.

Example: The statement $f(3) = 7$ should be written as:

a) The unique range element associated with the domain element 3 by the function f is 7.

b) The point $(3, 7)$ is on the graph of f .

1) $f(2) = 8$

a) The unique range element associated with 2 by the function f is equal to 8.

b) The point $(2, 8)$ is on the graph of the function f .

2) $f(5) = (5)(67)$

a) The unique range element associated with 5 by the function f is equal to 5 times 67.

b) The point $(5, (5)(67))$ is on the graph of the function f . Note that this point may also be specified as $(5, 335)$

3) $f(\pi) = \sqrt{23}$

a) The unique range element associated with π by the function f is equal to $\sqrt{23}$.

b) The point $(\pi, \sqrt{23})$ is on the graph of the function f . Note that the second coordinate of this point is an irrational number between 4 and 5 and is closer to 5 than to 4.

4) $f(x) = 3x + 1$

a) The unique range element associated with x by the function f is equal to $3x + 1$. Note that this is in fact a general rule for the function f . That rule can be stated as follows: The unique range element associated with a domain element by the function f is one plus three times the domain element.

b) The point $(x, 3x + 1)$ is on the graph of the function f .

5) $f(x) = 2^x + 5^x$

a) The unique range element associated with x by the function f is equal to 2 raised to the x^{th} power plus 5 raised to the x^{th} power. Note that this is in fact a general rule for the function f . Later in this course it will become clear that this is an example of an exponential function.

b) The point $(x, 2^x + 5^x)$ is on the graph of the function f . The graph of f consists of all such points.

6) $f(x) = \pi^x$

a) The unique range element associated with x by the function f is equal to π raised to the x^{th} power. Note that this is in fact a general rule for the function f . Later in this course it will become clear that this is an example of an exponential function.

b) The point (x, π^x) is on the graph of the function f . The graph of f consists of all such points.

7) $f(x) = x^\pi$

- a) The unique range element associated with x by the function f is equal to x raised to the π^{th} power. Note that this is in fact a general rule for the function f . This is not an exponential function because the exponent is not variable.
- b) The point (x, x^π) is on the graph of the function f . The graph of f consists of all such points.

8) $f \circ g(x) = f(g(x))$

- a) The unique range element associated with x by the function $f \circ g$ is equal to the unique range element associated with the domain element $g(x)$ by the function f . Note however, that although $g(x)$ is a domain element for the function f , with respect to the function g it is the unique range element associated with the domain element x by the function g . It is almost impossible to write this in a meaningful way with ordinary English, but here is an attempt.

The unique range element associated with x by the function $f \circ g$ is equal to the unique range element associated, by f , with the unique range element associated with the element x of the domain of g by the function g . This references the standard diagram for composition of function (later in this course).

- b) Has no graphical interpretation.

9) $f \circ g(2) = 5$

- a) The unique range element associated with 2 by the function $f \circ g$ is equal to 5.
- b) The point $(2, 5)$ is on the graph of the function $f \circ g$.

10) $f(7) > 48$

- a) The unique range element associated with 7 by the function f is greater than 48.
- b) The point $(7, f(7))$ is on the graph of the function f and is above the horizontal line $y = 48$.

11) $f(2) < 5^2$

- a) The unique range element associated with 2 by the function f is greater than 25.
- b) The point $(2, f(2))$ is on the graph of the function f and is above the horizontal line $y = 25$.

12) $f(3) > g(x)$

- a) The unique range element associated with 3 by the function f is greater than unique range elements associated with domain elements by the function g .
- b) The point $(3, f(3))$ is on the graph of the function f and is above every point on the graph of g .

Part II:

- a) Write each of the following mathematical statements using correct mathematics notation.

Example: The statement; "The range element associated with the domain element 4 by the function f is 7" should be written as: $f(4) = 7$.

- 1) The range element associated with the domain element 8 by the function f is 11.

This statement can be written as $f(8) = 11$.

- 2) 45 is the range element associated with the domain element 9 by the function g .

This statement can be written as $g(9) = 45$.

- 3) The rule for the function f is: The range element associated with a domain element is the domain element raised to the 11th power.

The rule for the function f is: $f(x) = x^{11}$

- 4) The range element associated with the domain element 14 is less than the range element associated with the domain element $\frac{3}{\sqrt{7}}$ by the same function f .

This statement can be written as $f(14) < f\left(\frac{3}{\sqrt{7}}\right)$.

- 5) Two functions f and g have the same domains and for each domain element, the range element associated with it by the function g is greater than the range element associated with it by the function f .

Functions f and g have the same domains and for every element of this common domain $g(x) > f(x)$.

- 6) The point $(3, 5)$ is on the graph of the function h .

This statement can be written as $h(3) = 5$.

- 7) The point $\left(\frac{3}{4}, \frac{2\pi}{3}\right)$ is on the graph of the function jim .

This statement can be written as $jim\left(\frac{3}{4}\right) = \frac{2\pi}{3}$

- 8) 86 is a zero of the function k .

This statement can be written as $k(86) = 0$.

- 9) The function f is a linear function.

The statement may be written as: The rule for the function f has the form $f(x) = mx + b$ where m and b are real numbers.

- 10) The function f is a quadratic function.

The statement may be written as: The rule for the function f has the form $f(x) = ax^2 + bx + c$ where a , b , and c are real numbers and $a \neq 0$.